

# Data Sheet

## Fujitsu D2616 SAS/SATA RAID controller

D2616 SAS 6Gb/s 512 MB based on LSI MegaRAID® for internal storage devices

The RAID concept (Redundant Array of Independent Disks) refers to several independent hard disks which form a large logical drive when switched together.

Redundancy information is calculated from several data blocks (except for RAID 0) and saved distributed to the individual hard disks. Your operating system no longer accesses the individual hard disks, but the array.

The actual objective of the RAID concept is to increase availability and prevent downtimes in the event of a hard disk failure. However, the theoretical security of the RAID concept is only as good as the RAID controller used. Benefit from the Fujitsu RAID controllers where technology, experience and practical implementation all ensure the security that your company needs in the event of an emergency.

### D2616 SAS/SATA RAID controller

The 8 port Fujitsu D2616 SAS/SATA RAID controller sets new standards in the fields of speed and data security for internal server memories. With a data transfer of up to 6Gb/s per port the PRIMEGY Modular RAID Controller family is extended to include the latest technology.

The RAID stack is based on the LSI MegaRAID® and offers high data throughput, a comprehensive error tolerance function and user-friendly

management options. Management of the controller is integrated seamlessly into the FTS management concept. All controller functions are supported by the FTS ServerView RAID Manager. 6Gb/s SAS is designed for backward compatibility with 3Gb/s SAS as well as with 6Gb/s and 3Gb/s SATA hard drives. Regardless of the drive speed, 6Gb/s MegaRAID® controllers will deliver significant performance improvements in both read and write applications, as compared with their 3Gb/s predecessors. Other new features of the 6Gb/s SAS 2.0 controllers include greater signal integrity using Decision Feedback Equalization, support for more sophisticated SAS topologies using Expander Self-Discovery / Self-Configuration, and additional safeguards to enhance data protection.

Due to the support of 64-bit addressing, a robust set of RAID features and demanding error tolerance functions this controller provides high RAID performance and data availability. Powerful online management service programs (FTS's ServerView RAID Manager), which are simple to operate and quick to install, provide the administrator with unparalleled flexibility and access to the arrays.

The RAID controller supports all of the important RAID levels including RAID 6 and 60. RAID 6 tolerates up to two simultaneous drive failures and



Main Features	Benefits
<ul style="list-style-type: none"> <li>■ 6Gb/s SAS ports PCI Express® 2.0 x8</li> <li>■ LSI SAS2108 6Gb/s RAID-on-Chip</li> <li>■ 512MB 800MHz DDRII cache memory</li> <li>■ Optional Battery Backup Unit (BBU)</li> <li>■ User Management Options</li> </ul>	<ul style="list-style-type: none"> <li>■ Connect up to 8 HDDs (in future also up to 20 HDDs)</li> <li>■ RAID levels 0, 1, 5 and 6 for more data security</li> <li>■ RAID spans 10, 50 and 60 for more data security</li> <li>■ For data security in case of power failure</li> <li>■ Seamless merging of the RAID management into system management</li> </ul>

# Technical details

## Technical details

<b>Controller Silicon</b>	RoC (RAID on Chip) LSI SAS2108	
<b>Controller type</b>	RAID 5/6 Ctrl.	
<b>Certified or supported operating systems and virtualization software</b>	Microsoft® Windows Server® 2012 Microsoft® Windows Server® 2008 Microsoft® Windows Server® 2008 R2 Red Hat Enterprise Linux Novell SUSE Linux Enterprise Server VMware ESX	
<b>Number of ports</b>	8 ports int.	
<b>Connector internal</b>	SSF-8087	
<b>Data transfer rate up to</b>	6 Gbit/s	
<b>Bus interface</b>	PCIe Gen2 x8	
<b>Bus type</b>	PCIe 2.0	
<b>Bus width</b>	x8	
<b>RAID Management</b>	ServerView RAID Manager MegaCLI (command-line interface) WebBIOS	
<b>Key RAID Data Protection Feature</b>	RAID levels 0, 1, 5, and 6 RAID spans 10, 50 and 60 Online Capacity Expansion (OCE) Online RAID Level Migration (RLM) Auto resume after loss of system power during array rebuild or reconstruction Configurable stripe size up to 1MB Fast initialization for quick array setup Check Consistency for background data integrity - Make Data Consistent (MDC) Patrol read for media scanning and repairing 64 logical drive support Up to 64TB LUN support DDF-compliant Configuration on Disk (COD) S.M.A.R.T support Global and dedicated Hot Spare with Revertible Hot Spare support - Automatic rebuild - Enclosure affinity Enclosure management - SES (inband) - SGPIO (sideband)	
<b>RAID level</b>	0, 1, 10, 5, 50, 6, 60	
<b>RAID controller cache size</b>	512 MB Cache	
<b>RAID cache backup unit</b>	Optional BBU	
<b>RAID controller notes</b>	(based on LSI SAS2108)	
<b>Interface technology</b>	SAS/SATA	
<b>Order code</b>	<b>Product Name (FTS)</b>	<b>Number of Connectors</b>
S26361-F3554-E512	RAID Ctrl SAS 6G 5/6 512MB (D2616)	2
S26361-F3554-L512	RAID Ctrl SAS 6G 5/6 512MB (D2616)	2

## Compliance

<b>Compliance notes</b>	According to the corresponding system
<b>Compliance link</b>	<a href="http://sp.ts.fujitsu.com/sites/certificates/">http://sp.ts.fujitsu.com/sites/certificates/</a>

# More information

## Fujitsu OPTIMIZATION Services

In addition to Fujitsu D2616 SAS/SATA RAID controller, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

## Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

## Computing Products

[www.fujitsu.com/global/services/computing/](http://www.fujitsu.com/global/services/computing/)

## Software

[www.fujitsu.com/software/](http://www.fujitsu.com/software/)

## More information

Learn more about Fujitsu D2616 SAS/SATA RAID controller, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.  
[www.fujitsu.com/fts](http://www.fujitsu.com/fts)

## Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment. Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at <http://www.fujitsu.com/global/about/environment/>



## Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see <http://www.fujitsu.com/fts/resources/navigation/terms-of-use.html>

Copyright © Fujitsu Technology Solutions

## Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

## Contact

FUJITSU LIMITED

Website: [www.fujitsu.com](http://www.fujitsu.com)  
2013-03-26 CE-EN

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see <http://www.fujitsu.com/fts/resources/navigation/terms-of-use.html>  
Copyright © Fujitsu Technology Solutions